



**ACCREDITED**  
11 AUG 2022  
NSW MINISTRY OF HEALTH

- NOTES:
1. SEPTIC TANKS TO BE MANUFACTURED AND TESTED IN ACCORDANCE WITH ASINZS 1546:12008
  2. CONCRETE STRENGTH = 40MPa
  3. CONCRETE TO BE VIBRATED TO ENSURE WELL COMPACTED CONCRETE
  4. TANKS TO BE REINFORCED WITH FIBRE STEEL
  5. LIFTING TO BE "RED SWIFT LIFTS" 4 X 2.5 TONNE FOOT ANCHORS CAST INTO BASE OF THE TANK, 3 X 1.3 TONNE ANCHORS CAST INTO TANK LIDS

 <b>ADVANCED WASTEWATER TREATMENT SYSTEMS</b>		 PROJECT: COLLECTION WELL	SHEET SIZE: A3
SCALE: DO NOT SCALE		TITLE: 7900L CONCRETE TANK ASSY NSW HEALTH CERTIFICATION DRAWING	REVISION: 1.B 1 OF 1
DRAWN BY: P. MCKAY CHECKED BY: P. MCKAY PROJECT NO: 124-1110		DATE PLOTTED: 27/07/2010	PART NO: 1.B
COPYRIGHT © 2010 ALL RIGHTS RESERVED NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF ECONOCYCLE		DATE PLOTTED: 27/07/2010	PART NO: 1.B
DRAWN BY: P. MCKAY CHECKED BY: P. MCKAY PROJECT NO: 124-1110		DATE PLOTTED: 27/07/2010	PART NO: 1.B